

## Introduction

The LogiCORE™ IP GTX Transceiver Wizard automates the task of creating HDL wrappers to configure the high-speed serial GTX transceivers in the Virtex®-6 CXT, LXT, SXT, HXT sub-families and lower-power Virtex-6 devices.

The menu-driven interface allows one or more GTX transceivers to be configured using pre-defined templates for popular industry standards, or from scratch, to support a wide variety of custom protocols. The Wizard produces a wrapper, an example design, and a test bench for rapid integration and verification of the serial interface with your custom function.

## Features

- Creates customized HDL wrappers to configure Virtex-6 family GTX transceivers
- Virtex-6 family GTX transceivers can be configured to conform to industry standard protocols using predefined templates, or tailored for custom protocols
- Templates include support for the following specifications: Aurora (8B/10B and 64B/66B), CPRI™, Display Port, Fibre Channel, Gigabit Ethernet, HD-SDI, Interlaken, OBSAI, OC-48, PCI EXPRESS® (PCIe®) generation I and II, SATA 1.5 Gbps, SATA 3 Gbps, Serial RapidIO generation I and II, XAUI, and RXAUI-Dune Networks
- Automatically configures analog settings
- Each custom wrapper includes example design, test bench; and both implementation and simulation scripts
- Supports 64B/66B and 64B/67B encoding/decoding


LogiCORE IP Facts Table					
Core Specifics					
Supported Device Family <sup>(1)</sup>	Virtex-6 <sup>(2)</sup> CXT, LXT, SXT, and HXT				
Supported User Interfaces	Not Applicable				
	Resources				Frequency
Configuration	LUTs	FFs	DSP Slices	Block RAMs	Max. Freq.
Config1	Not Applicable				
Provided with Core					
Documentation	Product Specification Getting Started Guide				
Design Files	Verilog and VHDL				
Example Design	Verilog and VHDL				
Test Bench	Verilog and VHDL				
Constraints File	Synthesis Constraints File				
Simulation Model	Verilog and VHDL				
Tested Design Tools					
Design Entry Tools	CORE Generator 12.3				
Simulation	ISim 12.3 Mentor Graphics ModelSim 6.5c Cadence IES 9.2 Synopsys VCS and VCS MX D-2009.12				
Synthesis Tools	XST 12.3 Synopsys Synplify Pro 2009.12				
Support					
Provided by Xilinx, Inc.					

1. For a complete listing of supported devices, see the release notes for this core.
2. For more information on the Virtex-6 devices, see the *Virtex-6 Family Overview* [Ref 1].

## Functional Overview

Figure 1 shows the steps required to configure GTX transceivers using the Wizard. Start the CORE Generator™ software and select the GTX Transceiver Wizard, then follow the chart to configure the transceivers and generate a wrapper that includes an accompanying example design.

- If you use an existing template with no changes, click Generate.
- If you are modifying a standard template or starting from scratch, proceed through the Wizard and adjust the settings as needed.



DS708\_01\_051909

Figure 1: GTX Wizard Configuration Step

See the *Virtex-6 FPGA GTX Transceivers User Guide* [Ref 3] for details on the various transceiver features and parameters available.

## Wrapper Overview

Figure 2 shows the block diagram of the wrapper, example design, and test bench produced by the Wizard.




Figure 2: Wrapper Block Diagram

The wrapper comprises six components:

1. Wrapper: The specific GTX transceiver configuration parameters set with the Wizard.
2. GTXE1 Transceiver(s): Instantiated transceivers selected with the Wizard.
3. Example Design: Temporary top-level design that will be replaced with the actual application.
4. Test Bench: Top-level test bench to aid in simulation of the design.
5. FRAME\_GEN Module: Generates a user-definable data stream for simulation analysis.
6. FRAME\_CHECK Module: Tests for correct transmission of data stream for simulation analysis.

## Support

Xilinx provides technical support for this LogiCORE IP product when used as described in the product documentation. Xilinx cannot guarantee timing, functionality, or support of product if implemented in devices that are not defined in the documentation, if customized beyond that allowed in the product documentation, or if changes are made to any section of the design labeled DO NOT MODIFY.

## Ordering Information

The Virtex-6 FPGA GTX Transceiver Wizard LogiCORE IP core is provided free of charge under the terms of the [Xilinx End User License Agreement](#). The core can be generated by the Xilinx ISE CORE Generator software, which is a standard component of the Xilinx ISE Design Suite. This version of the core can be generated using the ISE CORE Generator system v12.3 or higher. For more information, please visit the [Architecture Wizards web page](#). Information about additional Xilinx LogiCORE modules is available at the [Xilinx IP Center](#). For pricing and availability of other Xilinx LogiCORE modules and software, please contact your local Xilinx [sales representative](#).

## References

1. [DS150](#): *Virtex-6 Family Overview*
2. [UG516](#): *LogiCORE IP Virtex-6 FPGA GTX Transceiver Wizard v1.7 Getting Started Guide* for a general overview of the wrapper creation procedure
3. [UG366](#): *Virtex-6 FPGA GTX Transceivers User Guide*

---

---

## Revision History

The following table shows the revision history for this document:

Date	Version	Revision
04/24/09	1.1	Initial Xilinx release.
06/24/09	1.2	Tools and Wizard updates.
09/16/09	1.3	Tools and Wizard updates. Added support for the Virtex-6 SXT, CXT, HXT, and -1L devices.
12/02/09	1.4	Tools and Wizard updates.
04/19/10	1.5	Tools and Wizard updates. Added " <a href="#">Ordering Information</a> ."
07/23/10	1.6	Tools and Wizard updates.
09/21/10	1.7	Wizard v1.7 release.

## Notice of Disclaimer

Xilinx is providing this product documentation, hereinafter "Information," to you "AS IS" with no warranty of any kind, express or implied. Xilinx makes no representation that the Information, or any particular implementation thereof, is free from any claims of infringement. You are responsible for obtaining any rights you may require for any implementation based on the Information. All specifications are subject to change without notice. XILINX EXPRESSLY DISCLAIMS ANY WARRANTY WHATSOEVER WITH RESPECT TO THE ADEQUACY OF THE INFORMATION OR ANY IMPLEMENTATION BASED THEREON, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OR REPRESENTATIONS THAT THIS IMPLEMENTATION IS FREE FROM CLAIMS OF INFRINGEMENT AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Except as stated herein, none of the Information may be copied, reproduced, distributed, republished, downloaded, displayed, posted, or transmitted in any form or by any means including, but not limited to, electronic, mechanical, photocopying, recording, or otherwise, without the prior written consent of Xilinx.